



pflug.




*Driving gear and conveyor
technology
Profiled belts
Continuous round belts
turned and plaited*

PU cleats and block profiles



PU block and cam profiles


as drive or guide profiles for PU toothed belts and conveyor belts.



PU toothed belt with block profiles




Conveyor belt with T-bars



Customised application



Square and rectangular profiles

as standard or blank profiles for further processing in many different sizes, hardnesses and colours. Up to cross-sections of 200 mm²



Ground block profiles


Where precision is required, we grind square and rectangular profiles to the required sizes within an accuracy of 0.1 mm.



T-bars

The standard drive profiles for conveyor belts from T20 to T60.

Standard length: 3 m poles



Cut and finished ground corner profiles



as individual drivers for many transport tasks.

Directly extruded or cut and subsequently ground from V- or block profiles.

Half-round profiles

as guides, drivers or edge limiters, wherever edges are in the way or might damage the delicate goods during transport. Also ideal for transport tasks where only a very small linear contact surface is required.

Available up to R=7.5 mm.



U- and hollow profiles

for insertion tasks when the transported goods are directly inserted or drivers are placed in notches.

If sufficiently large, hollow profiles cut in half can be welded onto two teeth of a toothed belt without significantly increasing the minimum disc diameter.

Milled profiles

we mill customised profiles from block profiles, such as click or driver profiles based on drawings.



Miniature ledges and bars

for thinnest belts and smallest deflections.

Wherever secure transport of small parts is necessary, without increasing the required space.

V-ledges from 4x2 mm and bars up to 20 mm.



We manufacture these profiles from 45 to 90 Sh. A, and FDA/EU compliant from 60 to 90 Sh. A.


Available colours: white, transparent, sky blue, sapphire blue, ultramarine blue, green, petrol, red and black

The advantage of the profiles is that they can be cut from a roll or bar to any length and do not have to be injected individually. Straight square or rectangular profiles can be produced in many different sizes using the same tool, without requiring new tools or tool changes.

During the selection of the raw material, we attach great importance to excellent welding and bonding properties of the profiles.

All our FDA/EU-compatible types are highly resistant to hydrolyses and microbes and flexible at low temperatures. Thus, they are ideal for the use in wet areas.

Company profile



Testing Service



Welded timing belts in short lengths



Round belts for heat-setting machines



Endless injected round belts



Endless turned round belts



Endless plaited round belts



Hooked belts




PU round- and profile belts



PU profile belts and special profiles



PU tracking guides, cleats and guides




Food line

Types for the food industry compliant to EU/FDA




PU cleats and block profiles



PU Poly-V belts



PU-V-guide belts compliant to EU/FDA



PU coatings

