


**pflug.**



*Driving gear and conveyor  
technology  
Profiled belts  
Continuous round belts  
turned and plaited*

# **PU profile belts and special profiles**



# Product overview 2024



## PU-V-guide belts compliant to EU/FDA

From 250 mm on, all profiles could be delivered shape-welded ex-factory.  
From 350mm endless structured available.  
Embossing structure for each profile by request.  
Profile 17,5 x 5 mm is only available with lengthwise groove.  
The profiles 25 x 5 mm and 25 x 7 mm are also notched available.

Typ	9,5 x 3,8 mm	10 x 4 mm	14,5 x 5 mm	17,5 x 5 mm	25 x 5 mm	25 x 7 mm
363 60 Sh.A ultramarine blue, EU/FDA	-	-	X	X	-	-
374 70 Sh.A sapphire, EU/FDA	X	X	X	X	X	X
360 75 Sh.A red, EU/FDA	X	X	-	X	X	X
354 75 Sh.A sky blue, EU/FDA	X	X	-	X	X	X
367 80 Sh.A transparent, EU/FDA	X	X	-	X	X	X
364 85 Sh.A ultramarine blue, EU/FDA	X	X	-	X	X	X
361 90 Sh.A white, EU/FDA	X	X	-	X	X	X
Package size	50 m	50 m	50 m	50 m	30 m	30 m
Weight per 100 m	2,5 kg	2,3 kg	5,1 kg	5,1 kg	6,6 kg	8,2 kg



## PU-V-belts with vaulted top compliant to EU/FDA

All types are available notched and with shaped top structures.

Typ	8 x 6,5 mm	10 x 8 mm	13 x 11 mm	17 x 14 mm
394 75 Sh.A sky blue, EU/FDA	X	X	X	X
384 85 Sh.A ultramarine blue, EU/FDA	X	X	X	X
381 90 Sh.A white, EU/FDA	X	X	X	X
391 90 Sh.A white, EU/FDA + aramid reinforced	-	X	X	X
Package size	50 m	50 m	50 m	50 m
Weight per 100 m	4,8 kg	7,1 kg	14,1 kg	20,0 kg



## PU Poly-V belts

From 250 mm on, all profiles are delivered shape-welded ex-factory.  
From 350mm endless structured available.


Typ	3 PJ	4 PJ
324 70 Sh.A sapphire EU/FDA + aramid reinforced	X	X
330 75 Sh.A red	X	X
332 85 Sh.A black, antistatic + aramid reinforced	X	X
334 90 Sh.A blue, EU/FDA	X	X
Package size	50 m	50 m
Weight per 100 m	2,1 kg	2,5 kg



## V-belts with cover plates compliant to EU/FDA

All types are available notched and with shaped top structures.


Typ	13 x 10 mm
353 85 Sh.A ultramarine blue, EU/FDA	X
371 90 Sh.A white, EU/FDA	X
351 90 Sh.A white, EU/FDA + aramid reinforced	X
Package size	50 m
Weight per 100 m	11,4 kg



## PU cleats compliant to EU/FDA

T-cleats as carrier on conveyor belts and timing belts.  
Foot width: T20 = 8 mm / T30-T50 = 9 mm / T60 = 11 mm  
Further hardness and colors on request.

Typ	T20	T30	T40	T50	T60
435 85 Sh.A ultramarine blue, EU/FDA	X	X	X	X	X
431 90 Sh.A white, EU/FDA	X	X	X	X	X
438 90 Sh.A blue green, EU/FDA	X	X	X	X	X
433 90 Sh.A sky blue, EU/FDA	X	X	X	X	X
434 90 Sh.A ultramarine blue, EU/FDA	X	X	X	X	X
Package size bars of 3 m	40 pcs. / 120 m	30 pcs. / 90 m	20 pcs. / 60 m	20 pcs. / 60 m	20 pcs. / 60 m
Weight per 100 m	6,9 kg	9,0 kg	13,2 kg	20,6 kg	26,9 kg



## PU rectangle and cam profiles

As a carrier or the guide profiles in the hardening area of 45 Sh.a - 90 Sh.A.  
Due to the variety of our raw materials and tools we can unfortunately not all types list individually. Other dimensions and versions on request.  
All profiles can also be supplied with polished surfaces.

Dimension	8 x 3,5 mm	4 x 4 mm	6 x 4 mm	5 x 5 mm	8 x 8 mm	9 x 9 mm	10 x 4,4 mm
Package size	250 m	250 m	200 m	200 m	100 m	100 m	200 m
Weight per 100 m	3,4 kg	1,9 kg	2,9 kg	3,0 kg	7,7 kg	9,7 kg	5,3 kg

Dimension	10 x 10 mm	12 x 12 mm	13 x 5 mm	13,75 x 5,75 mm	15 x 8 mm
Package size	50 m	50 m	100 m	100 m	50 m
Weight per 100 m	12,0 kg	17,3 kg	7,8 kg	9,5 kg	14,4 kg

In the selection of the right process for your use of the most suitable profile we will be happy to advise you and help you in your drive or transport interpretation by technical calculations and our decades of experience.

Other versions such as parallel belt, Double V-belt and machined profiles on request.

All of our FDA types are compliant with EU directive 10/2011.

Of course, we can also provide you with all types continuous pre-assembled. Technical data on request.


**pflug.** Driving gear and conveyor technology  
Multiple belts  
Continuous round belts  
Turned and plaited

**Company profile**




**pflug.** Driving gear and conveyor technology  
Multiple belts  
Continuous round belts  
Turned and plaited

**Testing Service**



**pflug.** Driving gear and conveyor technology  
Multiple belts  
Continuous round belts  
Turned and plaited

**Welded timing belts in short lengths**




**pflug.** Driving gear and conveyor technology  
Multiple belts  
Continuous round belts  
Turned and plaited

**Round belts for heat-setting machines**




**pflug.** Driving gear and conveyor technology  
Multiple belts  
Continuous round belts  
Turned and plaited

**Endless injected round belts**




**pflug.** Driving gear and conveyor technology  
Multiple belts  
Continuous round belts  
Turned and plaited

**Endless turned round belts**




**pflug.** Driving gear and conveyor technology  
Multiple belts  
Continuous round belts  
Turned and plaited

**Endless plaited round belts**



**pflug.** Driving gear and conveyor technology  
Multiple belts  
Continuous round belts  
Turned and plaited

**Hooked belts**



**pflug.** Driving gear and conveyor technology  
Multiple belts  
Continuous round belts  
Turned and plaited

**PU round- and profile belts**




**pflug.** Driving gear and conveyor technology  
Multiple belts  
Continuous round belts  
Turned and plaited

**PU profile belts and special profiles**




**pflug.** Driving gear and conveyor technology  
Multiple belts  
Continuous round belts  
Turned and plaited

**PU tracking guides, cleats and guides**




**pflug.** Driving gear and conveyor technology  
Multiple belts  
Continuous round belts  
Turned and plaited

**Food line**  
Types for the food industry compliant to EU/FDA




**pflug.** Driving gear and conveyor technology  
Multiple belts  
Continuous round belts  
Turned and plaited

**PU cleats and block profiles**




**pflug.** Antriebs- und Fördertechnik  
Multiple belts  
Endless Roundbelts  
großes und großes

**PU Poly-V belts**




**pflug.** Driving gear and conveyor technology  
Multiple belts  
Continuous round belts  
Turned and plaited

**PU-V-guide belts compliant to EU/FDA**



**pflug.** Antriebs- und Fördertechnik  
Multiple belts  
Endless Roundbelts  
großes und großes

**PU coatings**



© Copyright Any duplication, processing, distribution or any form of utilization requires our prior written consent.

**Pflug Antriebs- und Fördertechnik**  
Lange Str. 38  
D-89547 Gerstetten-Deitingen

Phone: 0049 (0)7324/5413  
Fax.: 0049 (0)7324/5316

E-Mail: [info@seilerei-pflug.de](mailto:info@seilerei-pflug.de)  
HP: [www.seilerei-pflug.com](http://www.seilerei-pflug.com)

Effective 07/2025