



# pflug.



*Driving gear and conveyor  
technology  
Profiled belts  
Continuous round belts  
turned and plaited*

## **PU-Tracking guides, cleats and guide profiles**




## PU-V-ledged profiles



Type	4x4 mm	6x4 mm	8x5 mm	10x6 mm	13x6,5 mm	13x8 mm	17x7 mm	17x11 mm
60 Sh.A natural-coloured	---	X*	X*	X*	X*	X*	---	X*
75 Sh.A red, EU/FDA	X°	X*	X*	X*	X*	X*	---	X*
80 Sh.A transparent, EU/FDA	X°	X*	X*	X*	X*	X*	X°	X*
80 Sh.A natural-coloured	X°	X*	X*	X*	X*	X*	X°	X*
85 Sh.A ultramarineblue, EU/FDA	X°	X*	X*	X*	X*	X*	X°	X*
85 Sh.A white, EU/FDA	X°	X*	X*	X*	X*	X*	X°	X*
85 Sh.A green	X°	X*	X*	X*	X*	X*	X°	X*
90 Sh.A white	X°	X*	X*	X*	X <sup>2</sup>	X*	---	X*
Notched	---	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>
Package size	250 m	250 m	250 m	150 m	100 m	100 m	50/100 m	50/100 m

Further profiles can be manufactured by processing standard profiles such as 10x3 mm or 10x8 mm. The type 80 Sh.A natural-coloured was especially developed for tooth-belts to obtain the optimal adhesive strength between the V-shaped profile and the tooth-belt. Special colours on request.

## PU-cleats



Type	T20	T30	T40	T50	T60
85 Sh.A ultramarine blue, EU/FDA	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>
90 Sh.A, white, EU/FDA	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>
90 Sh.A, blue green, EU/FDA	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>
90 Sh.A, sky blue, EU/FDA	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>
90 Sh.A. ultramarine blue, EU/FDA	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>
Package size: 3 m bar	40 pcs. / 120 m	30 pcs. / 90 m	20 pcs. / 60 m	20 pcs. / 60 m	20 pcs. / 60 m

T-cleats as carrier on conveyor belts and timing belts.  
Foot width: T20 = 8 mm / T30-T50 = 9 mm / T60 = 11 mm  
Further hardness and colours on request.

## PU-semicircle profiles



Type	R 2,5 mm	R 3 mm	R 3,5 mm	R 4 mm	R 5 mm	R 6 mm	R 7,5 mm
75 Sh.A red, EU/FDA	X°	X°	---	X°	X°	X°	X°
80 Sh.A transparent, EU/FDA	X°	X°	X°	X°	X°	X°	X°
80 Sh.A natural-coloured	X <sup>2</sup>	X <sup>2</sup>	---	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>
85 Sh.A ultramarine blue, EU/FDA	X°	X°	---	X°	X°	X°	---
85 Sh.A, green	X°	X°	X°	X°	X°	X°	X°
90 Sh.A, white	X°	X°	---	X°	X°	X°	X°
Package size	200 m	100 m	100 m	100 m	100 m	50 m	50 m

PU-semicircle profiles as guide profile or tapped driver profile. Further types and dimensions on request.

## PU-square profiles



Type	4x4 mm	5x5 mm	8x8 mm	9x9 mm	10x10 mm	12x12 mm	13x5 mm	15x8 mm
75 Sh.A red, EU/FDA	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>
80 Sh.A transparent, EU/FDA	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>
80 Sh.A natural-coloured	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>
85 Sh.A sky blue, EU/FDA	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>
85 Sh.A ultramarine blue, EU/FDA	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>
90 Sh.A white, EU/FDA	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>	X <sup>2</sup>
Package size	250 m	200 m	100 m	100 m	50 m	50 m	100 m	50 m


Further types and dimensions on request.

- \* from stock
- ° short term (1-2 days)
- <sup>2</sup> short term (1-2 weeks)
- <sup>3</sup> delivery time on request


**pflug.**  Driving gear and conveyor technology  
Mechanical  
Pneumatic belts  
Continuous round belts  
Turned and profiled

**Company profile**



**pflug.**  Driving gear and conveyor technology  
Mechanical  
Pneumatic belts  
Continuous round belts  
Turned and profiled

**Testing Service**



**pflug.**  Driving gear and conveyor technology  
Mechanical  
Pneumatic belts  
Continuous round belts  
Turned and profiled


**Welded timing belts in short lengths**



**pflug.**  Driving gear and conveyor technology  
Mechanical  
Pneumatic belts  
Continuous round belts  
Turned and profiled

**Round belts for heat-setting machines**



**pflug.**  Driving gear and conveyor technology  
Mechanical  
Pneumatic belts  
Continuous round belts  
Turned and profiled


**Endless injected round belts**




**pflug.**  Driving gear and conveyor technology  
Mechanical  
Pneumatic belts  
Continuous round belts  
Turned and profiled

**Endless turned round belts**




**pflug.**  Driving gear and conveyor technology  
Mechanical  
Pneumatic belts  
Continuous round belts  
Turned and profiled

**Endless plaited round belts**



**pflug.**  Driving gear and conveyor technology  
Mechanical  
Pneumatic belts  
Continuous round belts  
Turned and profiled

**Hooked belts**



**pflug.**  Driving gear and conveyor technology  
Mechanical  
Pneumatic belts  
Continuous round belts  
Turned and profiled


**PU round- and profile belts**




**pflug.**  Driving gear and conveyor technology  
Mechanical  
Pneumatic belts  
Continuous round belts  
Turned and profiled

**PU profile belts and special profiles**



**pflug.**  Driving gear and conveyor technology  
Mechanical  
Pneumatic belts  
Continuous round belts  
Turned and profiled


**PU tracking guides, cleats and guides**




**pflug.**  Driving gear and conveyor technology  
Mechanical  
Pneumatic belts  
Continuous round belts  
Turned and profiled

**Food line**  
Types for the food industry compliant to EU/FDA



**pflug.**  Driving gear and conveyor technology  
Mechanical  
Pneumatic belts  
Continuous round belts  
Turned and profiled

**PU cleats and block profiles**



**pflug.**  Driving gear and conveyor technology  
Mechanical  
Pneumatic belts  
Continuous round belts  
Turned and profiled

**PU Poly-V belts**



**pflug.**  Driving gear and conveyor technology  
Mechanical  
Pneumatic belts  
Continuous round belts  
Turned and profiled

**PU-V-guide belts compliant to EU/FDA**



**pflug.**  Driving gear and conveyor technology  
Mechanical  
Pneumatic belts  
Continuous round belts  
Turned and profiled

**PU coatings**



© Copyright Any duplication, processing, distribution or any form of utilization requires our prior written consent.

Pflug Antriebs- und Fördertechnik  
Lange Str. 38  
D-89547 Gerstetten-Deitingen

Phone: 0049 (0)7324/5413  
Fax.: 0049 (0)7324/5316

E-Mail: info@seilerei-pflug.de  
HP: www.seilerei-pflug.com

Effective 09/2023